

NEW GENERA.

By GREGORY M. MATHEWS.

27. AUSTROTURNIX, gen. nov.

Differs from *Turnix* Bonmaterre in having a much thicker, deeper bill.

Type, *Turnix castanotus* Gould.

Austrotornix melanogaster.

- „ *castanota castanota.*
 „ „ *melvellensis.*
 „ „ *alligator.*
 „ „ *magnifica.*
 „ *olivii.*
 „ *pyrrothorax pyrrothorax.*
 „ „ *berneyi.*
 „ *velox velox.*
 „ „ *leucogaster.*
 „ „ *vinotineta.*
 „ „ *picturata.*

69. TERRAPHAPS, gen. nov.

Differs from *Geophaps* in having the bare space round the eye much more extensive ; deeper and heavier bill, and stouter feet.

Type, *Geophaps smithii* Jardine and Selby.

271. MYOLA, gen. nov.

Differs from *Notophoxyx* in having the bill a little more than half the length of the tarsus.

Type, *Notophoxyx pacifica* (Latham).

273. TONOPHOYX, gen. nov.

Differs from *Notophoxyx* in having a very long crest.

Type, *Notophoxyx flavirostris* (Sharpe).

282. TOBURIDES, gen. nov.

Differs from *Butorides* in having a longer bill in proportion to its tarsus.

Type, *Butorides rogersi* Mathews.

+ 416A. ZANDA, gen. nov.

Differs from *Calyptorhynchus* in its very flat, narrow bill and different wing-formuli—3rd, 4th, and 5th longest and subequal, 1st shorter than 5th.

Type, *Calyptorhynchus baudini tenuirostris* Mathews.

+ 985. MYTISA, gen. nov.

Differs from *Diaphorillas* in having a larger and more slender bill.

Type, *Diaphorillas howei* Mathews.

1169. MELOMYZA, gen. nov.

Differs from *Cissomela* in having the 2nd primary much shorter than the 3rd.

Type, *Myzomela obscura* Gould.

1379. NEOPEPHILA, gen. nov.

Differs from *Neochmia* in having the tail-feathers more pointed.

Type, *Pœphila belcheri* Mathews.

1438. NEOSTREPERA, gen. nov.

Differs from *Strepera* in lacking the very distinct hook at the end of the maxilla.

Type, *Strepera arguta* Gould.

I take this opportunity of describing the eggs of

1085. *Climacteris rufa orientalis* Mathews. Clutch, two; ground-colour pale stone, covered all over but more at the larger end, with reddish-brown and lavender spots of irregular shape; 24 by 19 mm. Gawler Ranges, South Australia. Collected by Captain S. A. White on September 6th, 1912.!